antibodies -online.com





anti-AMBP antibody (AA 18-202)

3 l

Images



Go to Product page

| _ | | | | | |
|---|---|----|----|---|---|
| U | V | er | VI | е | W |


| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | AMBP | |
| Binding Specificity: | AA 18-202 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This AMBP antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Polyclonal Antibody to Alpha-1-Microglobulin (a1M) | |
|-------------------|--|--|
| Immunogen: | Recombinant Alpha-1-Microglobulin (a1M) corresdonding to Arg18~Ala202 with N-terminal His | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against a1M. It has been selected for its ability to recognize a1M in immunohistochemical staining and western blotting. | |
| Cross-Reactivity: | Rat | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |


Target Details

| Target: | AMBP | |
|---------------------|--|--|
| Alternative Name: | Alpha-1-Microglobulin (AMBP Products) | |
| Background: | AMBP, UTI, HCP, EDC1, HI30, IATIL, ITILC, ITI, ITIL, Alpha 1 Microglobulin/Bikunin Precursor, | |
| | Growth-inhibiting protein 19, Uristatin, Uronic-Acid-Rich Protein, Trypstatin | |
| Application Details | | |
| Application Notes: | Western blotting: 0.5-2 μg/mL | |
| | Immunohistochemistry: 5-20 μg/mL | |
| | Immunocytochemistry: 5-20 μg/mL | |
| | Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be | |
| | handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without | |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |
| | | |




Immunohistochemistry

Image 1. Detection of a1M in Mouse Kidney Tissue using Polyclonal Antibody to Alpha-1-Microglobulin (a1M)



Western Blotting

Image 2. Detection of a1M in Mouse Serum using Polyclonal Antibody to Alpha-1-Microglobulin (a1M)



Western Blotting

Image 3. Detection of Recombinant a1M, Mouse using Polyclonal Antibody to Alpha-1-Microglobulin (a1M)