antibodies -online.com





anti-LIPG antibody (AA 115-369)





Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Quantity:	100 μL	
Target:	LIPG	
Binding Specificity:	AA 115-369	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This LIPG antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Lipase, Endothelial (LIPG)	
Immunogen:	Recombinant Lipase, Endothelial (LIPG) corresdonding to Asp115~Tyr369 (Accession # Q9WVG5)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against LIPG. It has been selected for its ability to recognize LIPG in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target: LIPG	
--------------	--


Target Details

Alternative Name:	Lipase, Endothelial (LIPG Products)		
Background:	EL, EDL, Endothelial Lipase, Endothelial cell-derived lipase		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
P.P. STATE	1:350-1400 Immunohistochemistry: 5-20 μg/mL		
	1:35-140 Immunocytochemistry: 5-20 µg/mL		
	1:35-140 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which		
	should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
	detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		




Western Blotting

Image 1. Detection of LIPG in Mouse Kidney lysate using Polyclonal Antibody to Lipase, Endothelial (LIPG)



Western Blotting

Image 2. Detection of Recombinant LIPG, Mouse using Polyclonal Antibody to Lipase, Endothelial (LIPG)



Immunohistochemistry

Image 3. #VALUE!

Please check the product details page for more images. Overall 4 images are available for ABIN7429364.