antibodies -online.com





anti-GAPDH antibody (AA 2-148)



Images



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	GAPDH	
Binding Specificity:	AA 2-148	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GAPDH antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	


Product Details

Purpose:	Polyclonal Antibody to Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH)
lmmunogen:	Recombinant Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) corresdonding to Gly2~Ser148 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GAPDH. It has been selected for its ability to recognize GAPDH in immunohistochemical staining and western blotting.
Cross-Reactivity:	Chicken, Cow, Dog, Goat, Guinea Pig, Horse, Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details	
Target:	GAPDH
Alternative Name:	Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH Products)
Background:	G3PD, GAPD, Peptidyl-cysteine S-nitrosylase GAPDH
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of GAPDH in Human A431 cell lysate using Polyclonal Antibody to Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH)



Immunofluorescence

Image 2. Detection of GAPDH in MCF7 cells using Polyclonal Antibody to Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH)



Immunohistochemistry

Image 3. Detection of GAPDH in Human Kidney Tissue using Polyclonal Antibody to Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH)

Please check the product details page for more images. Overall 8 images are available for ABIN7429394.