

Datasheet for ABIN7429427

**anti-Interferon gamma antibody (AA 24-166)****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	Interferon gamma (IFNG)
Binding Specificity:	AA 24-166
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Interferon gamma antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Interferon Gamma (IFNg)
Immunogen:	Recombinant Interferon Gamma (IFNg) corresponding to Gln24~Gln166 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IFNg. It has been selected for its ability to recognize IFNg in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

Target:	Interferon gamma (IFNG)
---------	-------------------------

## Target Details


Alternative Name:	Interferon Gamma ( <a href="#">IFNG Products</a> )
Background:	IFN-G, IFG, IFI, INFr, IFN, Immune Interferon
Pathways:	<a href="#">Interferon-gamma Pathway</a> , <a href="#">Cellular Response to Molecule of Bacterial Origin</a> , <a href="#">Regulation of Leukocyte Mediated Immunity</a> , <a href="#">Positive Regulation of Immune Effector Process</a> , <a href="#">Production of Molecular Mediator of Immune Response</a> , <a href="#">ER-Nucleus Signaling</a> , <a href="#">Regulation of Carbohydrate Metabolic Process</a> , <a href="#">Protein targeting to Nucleus</a> , <a href="#">Autophagy</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



### Western Blotting

**Image 1.** Detection of Recombinant IFN $\gamma$ , Human using Polyclonal Antibody to Interferon Gamma (IFN $\gamma$ )

### Flow Cytometry

**Image 2.** Detection of IFN $\gamma$  in 293F line transfected with target gene using Polyclonal Antibody to Interferon Gamma (IFN $\gamma$ )