# antibodies -online.com





# anti-Interferon gamma antibody (AA 23-156)



## **Images**



## Overview

Quantity:	100 μL
Target:	Interferon gamma (IFNG)
Binding Specificity:	AA 23-156
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Interferon gamma antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Polyclonal Antibody to Interferon Gamma (IFNg)
Immunogen:	Recombinant Interferon Gamma (IFNg) corresdonding to Gln23~Cys156 with N-terminal His
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IFNg. It has been selected for its ability to recognize IFNg in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## **Target Details**

Target:	Interferon gamma (IFNG)
Alternative Name:	Interferon Gamma (IFNG Products)
Background:	IFN-G, IFG, IFI, INFr, IFN, Immune Interferon
Pathways:	Interferon-gamma Pathway, Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, ER-Nucleus Signaling, Regulation of Carbohydrate Metabolic Process, Protein targeting to Nucleus, Autophagy

## **Application Details**


Application Notes:

	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting:  $0.5-2 \mu g/mL$ 


# Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




## **Immunohistochemistry**

**Image 1.** Detection of IFNg in Rat Testis Tissue using Polyclonal Antibody to Interferon Gamma (IFNg)



## **Western Blotting**

Image 2. Detection of Recombinant IFNg, Rat using Polyclonal Antibody to Interferon Gamma (IFNg)



## **Immunohistochemistry**

Image 3. Detection of IFNg in Rat Kidney Tissue using Polyclonal Antibody to Interferon Gamma (IFNg)

Please check the product details page for more images. Overall 7 images are available for ABIN7429433.