antibodies

# Datasheet for ABIN7429517 anti-MYO1G antibody (AA 754-1018)

4 Images



#### Overview

| Quantity:            | 100 µL  |
|----------------------|---|
| Target:              | MY01G   |
| Binding Specificity: | AA 754-1018   |
| Reactivity:          | Mouse   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This MY01G antibody is un-conjugated  |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP),<br>Immunocytochemistry (ICC) |

## Product Details


| Purpose:       | Polyclonal Antibody to Myosin IG (MYO1G)   |
|----------------|--|
| Immunogen:     | Recombinant Myosin IG (MY01G) corresdonding to Val754~Thr1018 (Accession # Q5SUA5)   |
| lsotype:       | lgG  |
| Specificity:   | The antibody is a rabbit polyclonal antibody raised against MYO1G. It has been selected for its ability to recognize MYO1G in immunohistochemical staining and western blotting. |
| Purification:  | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |
| Target Details |  |

Target:

MY01G

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7429517 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

| Target Details      |   |
|---------------------|---|
| Alternative Name:   | Myosin IG (MYO1G Products)  |
| Background:         | Minor Histocompatibility Antigen HA-2   |
| Application Details |   |
| Application Notes:  | Western blotting: 0.5-2 µg/mL   |
|                     | Immunohistochemistry: 5-20 µg/mL  |
|                     | Immunocytochemistry: 5-20 µg/mL   |
|                     | Optimal working dilutions must be determined by end user.   |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated  |
|                     | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious   |
|                     | degradation and precipitation were observed. The loss rate is less than 5% within the expiration  |
|                     | date under appropriate storage condition.   |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Buffer:             | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.   |
| Preservative:       | Sodium azide  |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  |
| Storage:            | 4 °C,-20 °C   |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date:        | 24 months   |




### Western Blotting

**Image 1.** Detection of MY01G in Mouse Lymph node lysate using Polyclonal Antibody to Myosin IG (MY01G)

### Western Blotting

**Image 2.** Detection of Recombinant MY01G, Mouse using Polyclonal Antibody to Myosin IG (MY01G)



Immunohistochemistry

Image 3. #VALUE!

Please check the product details page for more images. Overall 4 images are available for ABIN7429517.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7429517 | 09/09/2023 | Copyright antibodies-online. All rights reserved.