antibodies -online.com





anti-MYO1E antibody (AA 781-1036)



Image



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL
Target:	MY01E
Binding Specificity:	AA 781-1036
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYO1E antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


D		
Purpose:	Polyclonal Antibody to Myosin IE (MYO1E)	
Immunogen:	Recombinant Myosin IE (MYO1E) corresdonding to Lys781~Pro1036 (Accession # Q12965)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against MY01E. It has been selected for its	
	ability to recognize MYO1E in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	MY01E
Alternative Name:	Myosin IE (MYO1E Products)
Background:	MYO1C, HuncM-IC, Myosin-Ic
Pathways:	Platelet-derived growth Factor Receptor Signaling
Annlication Details	

Application Details

Application Betallo		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:480-1900 Immunohistochemistry: 5-20 μg/mL	
	1:48-190 Immunocytochemistry: 5-20 μg/mL	
	1:48-190 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant MY01E, Human using Polyclonal Antibody to Myosin IE (MY01E)