antibodies -online.com





anti-Myosin ID antibody (AA 581-847)



Image



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | Myosin ID (MYO1D) |
| Binding Specificity: | AA 581-847 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Myosin ID antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Myosin ID (MYO1D) |
|-------------------|--|
| Immunogen: | Recombinant Myosin ID (MYO1D) corresdonding to Ser581~Glu847 (Accession # Q5SYD0) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against MYO1D. It has been selected for its ability to recognize MYO1D in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details


| Target: | Myosin ID (MYO1D) |
|-------------------|----------------------------|
| Alternative Name: | Myosin ID (MYO1D Products) |
| Background: | Myr4 |

Application Details

| Restrictions: | For Research Use only |
|--------------------|--|
| | date under appropriate storage condition. |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | Optimal working dilutions must be determined by end user. |
| | Immunocytochemistry: 5-20 μg/mL |
| | Immunohistochemistry: 5-20 μg/mL |
| Application Notes: | Western blotting: 0.5-2 μg/mL |

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Western Blotting

Image 1. Detection of Recombinant MYO1D, Mouse using Polyclonal Antibody to Myosin ID (MYO1D)