antibodies -online.com





anti-IL-18 antibody (AA 37-193)





Overview

Quantity:	100 μL
Target:	IL-18 (IL18)
Binding Specificity:	AA 37-193
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-18 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

1 Toddot Details	
Purpose:	Polyclonal Antibody to Interleukin 18 (IL18)
Immunogen:	Recombinant Interleukin 18 (IL18) corresdonding to Tyr37~Asp193 with N-terminal His Tag
lsotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL18. It has been selected for its ability to recognize IL18 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	IL-18 (IL18)

Target Details

Storage Comment:


Expiry Date:

Target Details	
Alternative Name:	Interleukin 18 (IL18 Products)
Background:	IGIF, IL-1g, IL1F4, IL1-F4, Interferon-Gamma-Inducing Factor, Interleukin-1 Family Member 4, Iboctadekin, Interleukin-1 Gamma
Pathways:	Cellular Response to Molecule of Bacterial Origin, Activated T Cell Proliferation, Cancer Immune Checkpoints, Inflammasome
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C

detectable loss of activity. Avoid repeated freeze-thaw cycles.


24 months

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without




Western Blotting

Image 1. Detection of IL18 in HepG2 cell lysate using Polyclonal Antibody to Interleukin 18 (IL18)



Western Blotting

Image 2. Detection of Recombinant IL18, Human using Polyclonal Antibody to Interleukin 18 (IL18)



Immunohistochemistry

Image 3. Detection of IL18 in Human Skin cancer Tissue using Polyclonal Antibody to Interleukin 18 (IL18)

Please check the product details page for more images. Overall 4 images are available for ABIN7429628.