



[Go to Product page](#)

Datasheet for ABIN7429655
anti-Fetuin A antibody (AA 19-359)

4 Images

Overview

Quantity:	100 µL
Target:	Fetuin A (AHSG)
Binding Specificity:	AA 19-359
Reactivity:	Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Fetuin A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Alpha-2-Heremans Schmid Glycoprotein (AHSG)
Immunogen:	Recombinant Alpha-2-Heremans Schmid Glycoprotein (AHSG) corresponding to Ile19~Ile359
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AHSG. It has been selected for its ability to recognize AHSG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	Fetuin A (AHSG)
Alternative Name:	Alpha-2-Heremans Schmid Glycoprotein (AHSG Products)
Background:	AHSG, HSGa, A2HS, AHS, FETUA, HSG-A2, Fetuin-A, Alpha 2-HS Glycoprotein, Fetuin A, Alpha-2-Z-Globulin, Ba-alpha-2-Glycoprotein

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of AHSG in Bovine Kidney Tissue using Polyclonal Antibody to Alpha-2-Heremans Schmid Glycoprotein (AHSG)



Immunohistochemistry

Image 2. Detection of AHSG in Bovine Cerebellum Tissue using Polyclonal Antibody to Alpha-2-Heremans Schmid Glycoprotein (AHSG)



Immunohistochemistry

Image 3. Detection of AHSG in Bovine Cerebrum Tissue using Polyclonal Antibody to Alpha-2-Heremans Schmid Glycoprotein (AHSG)

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7429655.