antibodies - online.com







anti-Glucagon antibody (AA 23-180)

Images



Overview

Quantity:	100 μL
Target:	Glucagon (GCG)
Binding Specificity:	AA 23-180
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Glucagon antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glucagon (GCG)
Immunogen:	Recombinant Glucagon (GCG) corresdonding to Leu23~Lys180 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GCG. It has been selected for its ability to recognize GCG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Glucagon (GCG)
Alternative Name:	Glucagon (GCG Products)
Background:	GC, GLP1, GLP2, GRPP, Glicentin-Related Polypeptide, Glucagen, Oxyntomodulin, Incretin hormone
Pathways:	Positive Regulation of Peptide Hormone Secretion, Peptide Hormone Metabolism, cAMP Metabolic Process, Regulation of Carbohydrate Metabolic Process, Feeding Behaviour, Negative Regulation of intrinsic apoptotic Signaling

Application Details


Application Notes:

	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: $0.5-2 \mu g/mL$


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of GCG in Human Pancreas Tissue using Polyclonal Antibody to Glucagon (GCG)



Western Blotting

Image 2. Detection of Recombinant Glucagon, Human using Polyclonal Antibody to Glucagon (GCG)