

Datasheet for ABIN7429796

anti-Interferon gamma antibody (AA 24-166)

Images



Overview	
Quantity:	100 μL
Target:	Interferon gamma (IFNG)
Binding Specificity:	AA 24-166
Reactivity:	Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Interferon gamma antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)
Product Details	
Purpose:	Polyclonal Antibody to Interferon Gamma (IFNg)
Immunogen:	Recombinant Interferon Gamma (IFNg) corresdonding to Gln24~Lys166 with N-terminal His

Purpose:	Polyclonal Antibody to Interferon Gamma (IFNg)
lmmunogen:	Recombinant Interferon Gamma (IFNg) corresdonding to Gln24~Lys166 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IFNg. It has been selected for its ability to recognize IFNg in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: Interferon gamma (IFNG)


Target Details

Expiry Date:

rarget Details	
Alternative Name:	IFNg (IFNG Products)
Background:	IFN-G, IFG, IFI, INFr, IFN, Immune Interferon
UniProt:	P42161
Pathways:	Interferon-gamma Pathway, Cellular Response to Molecule of Bacterial Origin, Regulation of
	Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of
	Molecular Mediator of Immune Response, ER-Nucleus Signaling, Regulation of Carbohydrate
	Metabolic Process, Protein targeting to Nucleus, Autophagy
Application Details	
Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without


detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months



Immunohistochemistry

Image 1. Detection of IFNg in Canine Liver Tissue using Polyclonal Antibody to Interferon Gamma (IFNg)



Western Blotting

Image 2. Detection of Recombinant IFNg, Canine using Polyclonal Antibody to Interferon Gamma (IFNg)