



[Go to Product page](#)

Datasheet for ABIN7429964  
**anti-Sialic Acid antibody**

1 Image

### Overview

Quantity:	100 µL
Target:	Sialic Acid (SA)
Reactivity:	Various Species
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Sialic Acid antibody is un-conjugated
Application:	ELISA, Immunocytochemistry (ICC), Chemiluminescence Immunoassay (CLIA), Immunohistochemistry (Frozen Sections) (IHC (fro))

### Product Details

Purpose:	Polyclonal Antibody to Sialic Acid (SA)
Immunogen:	BSA Conjugated Sialic Acid (SA)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SA. It has been selected for its ability to recognize SA in immunohistochemical staining and western blotting.
Cross-Reactivity:	Various Species
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	Sialic Acid (SA)
---------	------------------

## Target Details

---

Alternative Name: Sialic Acid ([SA Products](#))

## Application Details

---

Application Notes: Enzyme-Linked Immune Sorbent Assay: 227 ng/mL Immunohistochemistry: 5-20 µg/mL  
Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Expiry Date: 24 months



### Western Blotting

**Image 1.** Western Blot; Sample: Lane1: Native BSA; Lane2: BSA coupled with Sialic Acid