

Datasheet for ABIN7429988
anti-TNF alpha antibody (AA 77-233)[Go to Product page](#)

6 Images

Overview

Quantity:	100 µL
Target:	TNF alpha
Binding Specificity:	AA 77-233
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNF alpha antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Tumor Necrosis Factor Alpha (TNFa)
Immunogen:	Recombinant Tumor Necrosis Factor Alpha (TNFa) corresponding to Val77~Leu233 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TNFa. It has been selected for its ability to recognize TNFa in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	TNF alpha
---------	-----------

Target Details


Alternative Name:	Tumor Necrosis Factor Alpha (TNF alpha Products)
Background:	DIF, TNF-A, TNFSF2, Cachectin, Tumor Necrosis Factor Ligand Superfamily Member 2
Pathways:	NF-kappaB Signaling , Apoptosis , Caspase Cascade in Apoptosis , TLR Signaling , Cellular Response to Molecule of Bacterial Origin , Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , Positive Regulation of Endopeptidase Activity , Hepatitis C , Protein targeting to Nucleus , Inflammasome

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of TNFα in Human Skin cancer Tissue using Polyclonal Antibody to Tumor Necrosis Factor Alpha (TNFα)



Western Blotting

Image 2. Detection of Recombinant TNFα, Human using Polyclonal Antibody to Tumor Necrosis Factor Alpha (TNFα)



Immunohistochemistry

Image 3. Detection of TNFα in Human Stomach cancer Tissue using Polyclonal Antibody to Tumor Necrosis Factor Alpha (TNFα)

Please check the [product details page](#) for more images. Overall 6 images are available for ABIN7429988.