antibodies -online.com





anti-GM2A antibody (AA 24-193)

2 Images



Go to Product page

Overview


Quantity:	100 μL
Target:	GM2A
Binding Specificity:	AA 24-193
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GM2A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to GM2 Ganglioside Activator (GM2A)
Immunogen:	Recombinant GM2 Ganglioside Activator (GM2A) corresdonding to His24~Ile193 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GM2A. It has been selected for its ability to recognize GM2A in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	GM2A
Alternative Name:	GM2 Ganglioside Activator (GM2A Products)
Background:	SAP-3, Cerebroside Sulfate Activator Protein, Sphingolipid Activator Protein 3
Application Details	
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of GM2A in Human Kidney Tissue using Polyclonal Antibody to GM2 Ganglioside Activator (GM2A)



Western Blotting

Image 2. Detection of Recombinant GM2A, Human using Polyclonal Antibody to GM2 Ganglioside Activator (GM2A)