antibodies -online.com





anti-NQ01 antibody (AA 2-274)





Overview

Quantity:	100 μL
Target:	NQ01
Binding Specificity:	AA 2-274
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NQO1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to NADH Dehydrogenase, Quinone 1 (NQO1)
Immunogen:	Recombinant NADH Dehydrogenase, Quinone 1 (NQO1) corresdonding to Ala2~Lys274
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NQO1. It has been selected for its ability to recognize NQO1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

9	
Target:	NQ01
Alternative Name:	NADH Dehydrogenase, Quinone 1 (NQO1 Products)
Background:	DHQU, DIA4, DTD, NMOR1, NMORI, QR1, Azoreductase, DT-diaphorase, Menadione reductase,
	Phylloquinone reductase, Quinone reductase 1, NAD(P)H:quinone oxidoreductase 1
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:250-1000 Immunohistochemistry: 5-20 µg/mL
	1:25-100 Immunocytochemistry: 5-20 μg/mL
	1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of NQO1 in Mouse Stomach lysate using Polyclonal Antibody to NADH Dehydrogenase, Quinone 1 (NQO1)



Western Blotting

Image 2. Detection of Recombinant NQO1, Mouse using Polyclonal Antibody to NADH Dehydrogenase, Quinone 1 (NQO1)



Immunohistochemistry

Image 3. Detection of NQO1 in Mouse Liver Tissue using Polyclonal Antibody to NADH Dehydrogenase, Quinone 1 (NQO1)

Please check the product details page for more images. Overall 4 images are available for ABIN7430129.