

# Datasheet for ABIN7430138 anti-PER1 antibody (AA 208-414)

## 1 Image



Go to Product page

$\sim$				
	ve	r\/		٨
$\cup$	V C	1 V I		٧V


Quantity:	100 μL
Target:	PER1
Binding Specificity:	AA 208-414
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PER1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

#### **Product Details**

Purpose:	Polyclonal Antibody to Period Circadian Protein 1 (PER1)	
Immunogen:	Recombinant Period Circadian Protein 1 (PER1) corresdonding to Ile208~Gln414 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PER1. It has been selected for its ability to recognize PER1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

### **Target Details**

rarget Details		
Target:	PER1	
Alternative Name:	PER1 (PER1 Products)	
Background:	PER, RIGUI, hPER, Circadian clock protein PERIOD 1, Circadian pacemaker protein Rigui	
UniProt:	015534	
Pathways:	Photoperiodism	
Application Details		
Application Notes:	Western blottin:g: $0.01-2~\mu g/m L$ ,Immunohistochemistry: $5-20~\mu g/m L$ ,Immunocytochemistry: $5-20~\mu g/m L$ ,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



#### **Western Blotting**

Image 1. Detection of Recombinant PER1, Human using Polyclonal Antibody to Period Circadian Protein 1 (PER1)