antibodies -online.com





anti-C1QTNF9 antibody (AA 20-333)



Image



Go to Product page

()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢


Quantity:	100 μL	
Target:	C1QTNF9	
Binding Specificity:	AA 20-333	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C1QTNF9 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to C1q And Tumor Necrosis Factor Related Protein 9 (C1QTNF9)	
Immunogen:	Recombinant C1q And Tumor Necrosis Factor Related Protein 9 (C1QTNF9) corresdonding to Gln20~Pro333 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against C1QTNF9. It has been selected for its ability to recognize C1QTNF9 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

9		
Target:	C1QTNF9	
Alternative Name:	C1q And Tumor Necrosis Factor Related Protein 9 (C1QTNF9 Products)	
Background:	CTRP9, C1QTNF9A, AQL1, Complement C1q and tumor necrosis factor-related protein 9A	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant C1QTNF9, Human using Polyclonal Antibody to C1q And Tumor Necrosis Factor Related Protein 9 (C1QTNF9)