antibodies -online.com





anti-CD166 antibody (AA 28-527)

2 Images



Go to Product page

Overview


Quantity:	100 μL
Target:	CD166 (ALCAM)
Binding Specificity:	AA 28-527
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD166 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Activated Leukocyte Cell Adhesion Molecule (ALCAM)
Immunogen:	Recombinant Activated Leukocyte Cell Adhesion Molecule (ALCAM) corresdonding to Trp28~Lys527 (Accession # Q13740)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ALCAM. It has been selected for its ability to recognize ALCAM in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

g	
Target:	CD166 (ALCAM)
Alternative Name:	Activated Leukocyte Cell Adhesion Molecule (ALCAM Products)
Background:	CD166, MEMD, Activated Leucocyte Cell Adhesion Molecule
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:500-2000 Immunohistochemistry: 5-20 μg/mL
	1:50-200 Immunocytochemistry: 5-20 μg/mL
	1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant ALCAM, Human using Polyclonal Antibody to Activated Leukocyte Cell Adhesion Molecule (ALCAM)