# antibodies - online.com







# anti-Angiopoietin 1 antibody (AA 304-450)



# Images



$\sim$					
	1//	Д	r\/	П	۱۸

Quantity:	100 μL
Target:	Angiopoietin 1 (ANGPT1)
Binding Specificity:	AA 304-450
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Angiopoietin 1 (ANGPT1)	
Immunogen:	Recombinant Angiopoietin 1 (ANGPT1) corresdonding to Asn304~Ala450 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ANGPT1. It has been selected for its ability to recognize ANGPT1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


## **Target Details**

Target: Angiopoietin 1 (ANGPT1)
---------------------------------

#### **Target Details**


rarget Details	
Alternative Name:	Angiopoietin 1 (ANGPT1 Products)
Background:	ANG1, AGP1, AGPT, ANG-I
Pathways:	RTK Signaling, Glycosaminoglycan Metabolic Process
Application Details	
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




## **Immunohistochemistry**

**Image 1.** Detection of ANGPT1 in Rat Cerebrum Tissue using Polyclonal Antibody to Angiopoietin 1 (ANGPT1)



# Western Blotting

Image 2. Detection of ANGPT1 in Rat Lung Tissue using Polyclonal Antibody to Angiopoietin 1 (ANGPT1)



## **Western Blotting**

Image 3. Detection of Recombinant ANGPT1, Rat using Polyclonal Antibody to Angiopoietin 1 (ANGPT1)

Please check the product details page for more images. Overall 5 images are available for ABIN7430330.