

Datasheet for ABIN7430354 anti-CTGF antibody (AA 101-330)

2 Images



Go to Product page

\sim			
()	1/0	r\/I	ΘM
\cup	$\vee \subset$	I V I	lew

Quantity:	100 μL
Target:	CTGF
Binding Specificity:	AA 101-330
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTGF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)
Product Details	

Purpose:	Polyclonal Antibody to Connective Tissue Growth Factor (CTGF)	
Immunogen:	Recombinant Connective Tissue Growth Factor (CTGF) corresdonding to Ala101~Pro330 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CTGF. It has been selected for its ability to recognize CTGF in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	CTGF	
Alternative Name:	Connective Tissue Growth Factor (CTGF Products)	
Background:	CCN2, HCS24, IGFBP8, NOV2, Insulin-Like Growth Factor-Binding Protein 8, Hypertrophic Chondrocyte-Specific Protein 24, CCN Family Member 2	

Application Details


Application Notes:


	Immunohistochemistry: 5-30 μg/mL
	Immunocytochemistry: 5-30 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: $0.5-3 \mu g/mL$

Handling

Tanaming .		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	





Western Blotting

Image 1. Detection of CTGF in Mouse Cerebrum lysate using Polyclonal Antibody to Connective Tissue Growth Factor (CTGF)

Western Blotting

Image 2. Detection of Recombinant CTGF, Porcine using Polyclonal Antibody to Connective Tissue Growth Factor (CTGF)