antibodies -online.com





anti-BMP2 antibody (AA 281-394)



Images



Go to Product page

| \sim | |
|--------|----------|
| ()\/△ | rview |
| \cup | 1 410 44 |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | BMP2 |
| Binding Specificity: | AA 281-394 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This BMP2 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details


| Purpose: | Polyclonal Antibody to Bone Morphogenetic Protein 2 (BMP2) |
|-------------------|--|
| Immunogen: | Recombinant Bone Morphogenetic Protein 2 (BMP2) corresdonding to Gln281~Arg394 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against BMP2. It has been selected for its ability to recognize BMP2 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

| Target: | BMP2 |
|-------------------|--|
| Alternative Name: | Bone Morphogenetic Protein 2 (BMP2 Products) |
| Background: | BMP2A, BMP-2A, Hemochromatosis Modifier |
| Pathways: | Regulation of Hormone Metabolic Process, Regulation of Hormone Biosynthetic Process, Regulation of Muscle Cell Differentiation, Growth Factor Binding, Positive Regulation of fat Cell Differentiation |


| Application Details | |
|---------------------|--|
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | 1:480-1900 Immunohistochemistry: 5-20 μg/mL |
| | 1:48-190 Immunocytochemistry: 5-20 μg/mL |
| | 1:48-190 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |

| Format: | Liquid |
|--------------------|---|
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of BMP2 in Human Hela cell lysate using Polyclonal Antibody to Bone Morphogenetic Protein 2 (BMP2)



Western Blotting

Image 2. Detection of Recombinant BMP2, Mouse using Polyclonal Antibody to Bone Morphogenetic Protein 2 (BMP2)



Immunohistochemistry

Image 3. Detection of BMP2 in Mouse Cerebellum Tissue using Polyclonal Antibody to Bone Morphogenetic Protein 2 (BMP2)

Please check the product details page for more images. Overall 6 images are available for ABIN7430393.