antibodies -online.com





anti-PROCR antibody (AA 63-205)



Image



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	$\triangle V$


Target:

Quantity:	100 μL	
Target:	PROCR	
Binding Specificity:	AA 63-205	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PROCR antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Product Details Purpose:	Polyclonal Antibody to Endothelial protein C receptor (EPCR)	
	Polyclonal Antibody to Endothelial protein C receptor (EPCR) Recombinant Endothelial protein C receptor (EPCR) corresdonding to Thr63~Ser205 with N-terminal His Tag	
Purpose:	Recombinant Endothelial protein C receptor (EPCR) corresdonding to Thr63~Ser205 with N-	
Purpose: Immunogen:	Recombinant Endothelial protein C receptor (EPCR) corresdonding to Thr63~Ser205 with N-terminal His Tag	
Purpose: Immunogen: Isotype:	Recombinant Endothelial protein C receptor (EPCR) corresdonding to Thr63~Ser205 with N-terminal His Tag IgG The antibody is a rabbit polyclonal antibody raised against EPCR. It has been selected for its	

PROCR

Target Details

Alternative Name:	Endothelial protein C receptor (PROCR Products)	
Background:	CD201, PROCR, CCCA, CCD41, BA4204.2, EPCR, Endothelial Protein C Receptor, Cell Cycle,	
	Centrosome-Associated Protein, Activated Protein C Receptor	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:240-1000 Immunohistochemistry: 5-20 μg/mL	
	1:24-100 Immunocytochemistry: 5-20 μg/mL	
	1:24-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant PROCR, Human using Polyclonal Antibody to Endothelial protein C receptor (EPCR)