antibodies -online.com









Overview

Quantity:	100 μL
Target:	PROCR
Binding Specificity:	AA 32-167
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PROCR antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Endothelial protein C receptor (EPCR)
Immunogen:	Recombinant Endothelial protein C receptor (EPCR) corresdonding to Ile32~Phe167 (Accession # Q64695)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against EPCR. It has been selected for its ability to recognize EPCR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

PROCR


Target Details

Endothelial protein C receptor (PROCR Products)
CD201, PROCR, CCCA, CCD41, BA4204.2, EPCR, Endothelial Protein C Receptor, Cell Cycle,
Centrosome-Associated Protein, Activated Protein C Receptor
Western blotting: 0.5-2 μg/mL
Immunohistochemistry: 5-20 μg/mL
Immunocytochemistry: 5-20 μg/mL
Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.
24 months




Immunohistochemistry

Image 1. Detection of EPCR in Mouse Testis Tissue using Polyclonal Antibody to Endothelial protein C receptor (EPCR)



Western Blotting

Image 2. Detection of Recombinant PROCR, Mouse using Polyclonal Antibody to Endothelial protein C receptor (EPCR)



Immunohistochemistry

Image 3. Detection of EPCR in Mouse Stomach Tissue using Polyclonal Antibody to Endothelial protein C receptor (EPCR)

Please check the product details page for more images. Overall 4 images are available for ABIN7430426.