

# Datasheet for ABIN7430537 anti-GDNF antibody (AA 78-211)

## 2 Images



#### Go to Product page

$\sim$				
( )	ve.	r\/	101	Λ


Quantity:       100 μL         Target:       GDNF         Binding Specificity:       AA 78-211         Reactivity:       Human         Host:       Rabbit         Clonality:       Polyclonal         Conjugate:       This GDNF antibody is un-conjugated         Application:       Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem Immunoprecipitation (IP)		
Binding Specificity: AA 78-211  Reactivity: Human  Host: Rabbit  Clonality: Polyclonal  Conjugate: This GDNF antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem		
Reactivity: Human  Host: Rabbit  Clonality: Polyclonal  Conjugate: This GDNF antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem		
Host: Rabbit  Clonality: Polyclonal  Conjugate: This GDNF antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem		
Clonality: Polyclonal  Conjugate: This GDNF antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem		
Conjugate: This GDNF antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem		
Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochem		
	This GDNF antibody is un-conjugated	
mmanopresipitation (ii )		

#### **Product Details**

Purpose:	Polyclonal Antibody to Glial Cell Line Derived Neurotrophic Factor (GDNF)	
Immunogen:	Recombinant Glial Cell Line Derived Neurotrophic Factor (GDNF) corresdonding to Ser78~Ile211 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against GDNF. It has been selected for its ability to recognize GDNF in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


### **Target Details**

rarget Details		
Target:	GDNF	
Alternative Name:	Glial Cell Line Derived Neurotrophic Factor (GDNF Products)	
Background:	ATF1, ATF2, HFB1-GDNF, Astrocyte-Derived Trophic Factor, Glial Derived Neurotrophic Factor	
Pathways:	RTK Signaling, Synaptic Membrane, Tube Formation, Autophagy, Smooth Muscle Cell Migration	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



#### **Immunohistochemistry**

**Image 1.** Detection of GDNF in Human Liver Tissue using Polyclonal Antibody to Glial Cell Line Derived Neurotrophic Factor (GDNF)



#### **Western Blotting**

Image 2. Detection of Recombinant GDNF, Human using Polyclonal Antibody to Glial Cell Line Derived Neurotrophic Factor (GDNF)