# antibodies -online.com







# anti-IGFBPI antibody (AA 159-249)



Image



$\sim$			
	$  \backslash / \cap$	r\/I	$\square$

Quantity:	100 μL	
Target:	IGFBPI	
Binding Specificity:	AA 159-249	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IGFBPI antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**


Purpose:	Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 1 (IGFBP1)	
Immunogen:	Recombinant Insulin Like Growth Factor Binding Protein 1 (IGFBP1) corresdonding to Asp159~Pro249 (Accession # P08833) with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against IGFBP1. It has been selected for its ability to recognize IGFBP1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

### **Target Details**

T	IOEDDI	
Target:	IGFBPI	

## **Target Details**

rarget betails		
Alternative Name:	Insulin Like Growth Factor Binding Protein 1 (IGFBPI Products)	
Background:	IBP1, AFBP, IGF-BP25, PP12, Placental Protein 12, Amniotic Fluid Binding Protein, Alpha- Pregnancy-Associated Endometrial Globulin, Growth Hormone Independent-Binding Protein	
Pathways:	Myometrial Relaxation and Contraction, ER-Nucleus Signaling, Growth Factor Binding	
Application Details		
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



#### **Western Blotting**

**Image 1.** Detection of Recombinant IGFBP1, Human using Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 1 (IGFBP1)