antibodies -online.com





anti-IGFBP3 antibody (AA 152-292)

2 Images



Go to	Prod	uct	page

_					
U	V	er	VI	е	W


Quantity:	100 μL
Target:	IGFBP3
Binding Specificity:	AA 152-292
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IGFBP3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 3 (IGFBP3)
Immunogen:	Recombinant Insulin Like Growth Factor Binding Protein 3 (IGFBP3) corresdonding to Ser152~Gln292 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IGFBP3. It has been selected for its ability to recognize IGFBP3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

raiget Details	
Target:	IGFBP3
Alternative Name:	Insulin Like Growth Factor Binding Protein 3 (IGFBP3 Products)
Background:	BP53, IBP3, Growth Hormone-Dependent Binding Protein, Acid Stable Subunit Of The 140 K IGF
	Complex
Pathways:	Myometrial Relaxation and Contraction, Regulation of Muscle Cell Differentiation, Skeletal
	Muscle Fiber Development, Regulation of Carbohydrate Metabolic Process, Autophagy, Smooth
	Muscle Cell Migration, Growth Factor Binding
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunocytochemistry in formalin fixed cells: 5-20 μg/mL
	Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in
	paraffin section: 5-20 $\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant IGFBP3, Mouse using Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 3 (IGFBP3)