



[Go to Product page](#)

Datasheet for ABIN7430615  
**anti-IL-10 antibody (AA 21-181)**

3 Images

### Overview

Quantity:	100 µL
Target:	IL-10 (IL10)
Binding Specificity:	AA 21-181
Reactivity:	Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### Product Details

Purpose:	Polyclonal Antibody to Interleukin 10 (IL10)
Immunogen:	Recombinant Interleukin 10 (IL10) corresponding to Arg21~Ile181 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL10. It has been selected for its ability to recognize IL10 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	IL-10 (IL10)
---------	--------------

## Target Details

---

Alternative Name:	Interleukin 10 ( <a href="#">IL10 Products</a> )
Background:	CSIF, IL10A, TGIF, Cytokine Synthesis Inhibitory Factor
Pathways:	<a href="#">Cellular Response to Molecule of Bacterial Origin</a> , <a href="#">Regulation of Leukocyte Mediated Immunity</a> , <a href="#">Production of Molecular Mediator of Immune Response</a> , <a href="#">Maintenance of Protein Location</a> , <a href="#">Cancer Immune Checkpoints</a>

## Application Details


---

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




### Immunohistochemistry

**Image 1.** Detection of IL10 in Canine Small intestine Tissue using Polyclonal Antibody to Interleukin 10 (IL10)



### Western Blotting

**Image 2.** Detection of Recombinant IL10, Canine using Polyclonal Antibody to Interleukin 10 (IL10)



### Immunohistochemistry

**Image 3.** Detection of IL10 in Canine Colon Tissue using Polyclonal Antibody to Interleukin 10 (IL10)