# antibodies -online.com









## Overview

Quantity:	100 μL
Target:	IL-10 (IL10)
Binding Specificity:	AA 1-178
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**

1 Toddet Details	
Purpose:	Polyclonal Antibody to Interleukin 10 (IL10)
Immunogen:	Recombinant Interleukin 10 (IL10) corresdonding to Met1~Asn178 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL10. It has been selected for its ability to recognize IL10 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	IL-10 (IL10)

# **Target Details**


Alternative Name:	Interleukin 10 (IL10 Products)
Background:	CSIF, IL10A, TGIF, Cytokine Synthesis Inhibitory Factor
Pathways:	Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Production of Molecular Mediator of Immune Response, Maintenance of Protein Location, Cancer Immune Checkpoints

# **Application Details**

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Llandling	


### Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



### **Immunohistochemistry**

Image 1. #VALUE!



15

10

### **Western Blotting**

Image 2. Detection of IL10 in Human Leukocyte Cells using Polyclonal Antibody to Interleukin 10 (IL10)

### **Western Blotting**

Image 3. Detection of Recombinant IL10, Human using Polyclonal Antibody to Interleukin 10 (IL10)