

Datasheet for ABIN7430702  
**anti-IL-17 antibody (AA 1-155)**[Go to Product page](#)

## 3 Images

## Overview

Quantity:	100 µL
Target:	IL-17 (IL17)
Binding Specificity:	AA 1-155
Reactivity:	Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-17 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Interleukin 17 (IL17)
Immunogen:	Recombinant Interleukin 17 (IL17) corresponding to Met1~Ala155 (Accession # C6L8D7)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL17. It has been selected for its ability to recognize IL17 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

Target:	IL-17 (IL17)
---------	--------------

## Target Details


Alternative Name:	Interleukin 17 ( <a href="#">IL17 Products</a> )
Background:	IL17A, CTLA8, IL-17A, Cytotoxic T-Lymphocyte-Associated Protein 8

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of IL17 in Canine Colon Tissue using Polyclonal Antibody to Interleukin 17 (IL17)



#### Western Blotting

**Image 2.** Detection of Recombinant IL17, Canine using Polyclonal Antibody to Interleukin 17 (IL17)



#### Immunohistochemistry

**Image 3.** Detection of IL17 in Canine Small intestine Tissue using Polyclonal Antibody to Interleukin 17 (IL17)