# antibodies .- online.com









# Overview

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | IL1A   |
| Binding Specificity: | AA 116-270   |
| Reactivity:          | Mouse  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This IL1A antibody is un-conjugated  |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

# **Product Details**

Target:


| Purpose:       | Polyclonal Antibody to Interleukin 1 Alpha (IL1a)  |
|----------------|--|
| Immunogen:     | Recombinant Interleukin 1 Alpha (IL1a) corresdonding to Ala116~Ser270 with N-terminal His  |
| Isotype:       | IgG  |
| Specificity:   | The antibody is a rabbit polyclonal antibody raised against IL1a. It has been selected for its ability to recognize IL1a in immunohistochemical staining and western blotting. |
| Purification:  | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |
| Target Details |  |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 1/3 | Product datasheet for ABIN7430768 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

IL1A


# **Target Details**

| rarget Details      |  |
|---------------------|--|
| Alternative Name:   | Interleukin 1 Alpha (IL1A Products)  |
| Background:         | IL1-A, IL-1α, IL1F1, Preinterleukin 1 Alpha, Hematopoietin-1, Pro-Interleukin-1-Alpha, Interleukin-1 Family Member 1 |
| Pathways:           | NF-kappaB Signaling, Autophagy, Cancer Immune Checkpoints  |
| Application Details |  |
| Application Notes:  | Western blotting: 0.5-2 μg/mL  |
|                     | 1:500-2000 Immunohistochemistry: 5-20 μg/mL  |
|                     | 1:50-200 Immunocytochemistry: 5-20 μg/mL   |
|                     | 1:50-200 Optimal working dilutions must be determined by end user.   |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated                     |
|                     | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious                              |
|                     | degradation and precipitation were observed. The loss rate is less than 5% within the expiration                     |
|                     | date under appropriate storage condition.  |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Buffer:             | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.   |
| Preservative:       | ProClin  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be                                   |
|                     | handled by trained staff only.   |
| Storage:            | 4 °C,-20 °C  |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without                      |
|                     | detectable loss of activity. Avoid repeated freeze-thaw cycles.  |
| Expiry Date:        | 24 months  |



# **Immunohistochemistry**

Image 1. #VALUE!



# **Western Blotting**

Image 2. Detection of Recombinant IL1a, Mouse using Polyclonal Antibody to Interleukin 1 Alpha (IL1a)