



Datasheet for ABIN7430852  
**anti-IL-6 antibody (AA 29-212)**



[Go to Product page](#)

3 Images

### Overview

Quantity:	100 µL
Target:	IL-6 (IL6)
Binding Specificity:	AA 29-212
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### Product Details

Purpose:	Polyclonal Antibody to Interleukin 6 (IL6)
Immunogen:	Recombinant Interleukin 6 (IL6) corresponding to Pro29~Met212 with N-terminal GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL6. It has been selected for its ability to recognize IL6 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	IL-6 (IL6)
---------	------------

## Target Details

---

Alternative Name:	Interleukin 6 ( <a href="#">IL6 Products</a> )
Background:	MGI2-A, MGI2A, HGF, BSF2, HSF, IFNB2, B-Cell Stimulatory Factor-2, Hybridoma/Plasmacytoma Growth Factor, Hepatocyte Stimulating Factor, Cytotoxic T-Cell Differentiation Factor
Pathways:	<a href="#">TLR Signaling</a> , <a href="#">Hormone Transport</a> , <a href="#">Negative Regulation of Hormone Secretion</a> , <a href="#">Myometrial Relaxation and Contraction</a> , <a href="#">Positive Regulation of Immune Effector Process</a> , <a href="#">Production of Molecular Mediator of Immune Response</a> , <a href="#">Regulation of Carbohydrate Metabolic Process</a> , <a href="#">Autophagy</a> , <a href="#">Cell RedoxHomeostasis</a> , <a href="#">Cancer Immune Checkpoints</a> , <a href="#">Inflammasome</a>

## Application Details


---

Application Notes:	Western blotting: 0.5-2 µg/mL 1:240-960 Immunohistochemistry: 5-20 µg/mL 1:24-96 Immunocytochemistry: 5-20 µg/mL 1:24-96 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




### Immunohistochemistry

**Image 1.** Detection of IL6 in Human Spleen Tissue using Polyclonal Antibody to Interleukin 6 (IL6)



### Western Blotting

**Image 2.** Detection of Recombinant IL6, Human using Polyclonal Antibody to Interleukin 6 (IL6)



### Immunohistochemistry

**Image 3.** Detection of IL6 in Human Lymph node Tissue using Polyclonal Antibody to Interleukin 6 (IL6)