# antibodies - online.com







# anti-IL-9 antibody (AA 19-144)

**Images** 



## Overview

Quantity:	100 μL
Target:	IL-9 (IL9)
Binding Specificity:	AA 19-144
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-9 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**

Purpose:	Polyclonal Antibody to Interleukin 9 (IL9)
Immunogen:	Recombinant Interleukin 9 (IL9) corresdonding to Gln19~lle144 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL9. It has been selected for its ability to recognize IL9 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Storage:

Expiry Date:

Storage Comment:


4 °C,-20 °C

24 months

Target Details	
Target:	IL-9 (IL9)
Alternative Name:	Interleukin 9 (IL9 Products)
Background:	HP40, P40, TCGFIII, TCGF3, T Cell Growth Factor III, P40 T-Cell And Mast Cell Growth Factor,
	P40 Cytokine, Homolog Of Mouse T Cell And Mast Cell Growth Factor 40
Pathways:	JAK-STAT Signaling
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	$20\ \mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.


detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without




# **Immunohistochemistry**

**Image 1.** Detection of IL9 in Human Kidney Tissue using Polyclonal Antibody to Interleukin 9 (IL9)



# **Western Blotting**

**Image 2.** Detection of Recombinant IL9, Human using Polyclonal Antibody to Interleukin 9 (IL9)



# **Immunohistochemistry**

Image 3. Detection of IL9 in Human Lung Tissue using Polyclonal Antibody to Interleukin 9 (IL9)