antibodies -online.com





anti-LIF antibody (AA 25-203)





Go to Product page

Overview

Quantity:	100 μL
Target:	LIF
Binding Specificity:	AA 25-203
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LIF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Leukemia Inhibitory Factor (LIF)
Immunogen:	Recombinant Leukemia Inhibitory Factor (LIF) corresdonding to Pro25~Phe203 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against LIF. It has been selected for its ability to recognize LIF in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	LIF
Alternative Name:	Leukemia Inhibitory Factor (LIF Products)
Background:	CDF, D-FACTOR, HILDA, MLPLI, Cholinergic Differentiation Factor, Differentiation-Stimulating Factor, Melanoma-Derived LPL Inhibitor, Emfilermin
Pathways:	JAK-STAT Signaling, Positive Regulation of Peptide Hormone Secretion, Negative Regulation of Hormone Secretion, Stem Cell Maintenance, Growth Factor Binding
Application Details	

Application Notes:	Western blotting: 0.5-2 μg/mL
	1:200-800 Immunohistochemistry: 5-20 μg/mL
	1:20-80 Immunocytochemistry: 5-20 µg/mL
	1:20-80 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant LIF, Mouse using Polyclonal Antibody to Leukemia Inhibitory Factor (LIF)