
antibodies -online.com







anti-CCL2 antibody (AA 24-99)





Go to Product page

\sim			
O,	ve	rvi	ev

Quantity:	100 μL
Target:	CCL2
Binding Specificity:	AA 24-99
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Monocyte Chemotactic Protein 1 (MCP1)
Immunogen:	Recombinant Monocyte Chemotactic Protein 1 (MCP1) corresdonding to Gln24~Thr99 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MCP1. It has been selected for its ability to recognize MCP1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target Details


Alternative Name:	Monocyte Chemotactic Protein 1 (CCL2 Products)	
Background:	CCL2, GDCF2, HC11, HSMCR30, MCAF, MCP1, SCYA2, SMC-CF, Chemokine C-C-Motif Ligand 2, Monocyte Chemotactic And Activating Factor, Monocyte Secretory Protein JE	
Pathways:	Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Immune Effector Process, ER-Nucleus Signaling, Unfolded Protein Response, The Global Phosphorylation Landscape of SARS-CoV-2 Infection	

	Landscape of SARS-CoV-2 Infection
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of MCP1 in Human Kidney Tissue using Polyclonal Antibody to Monocyte Chemotactic Protein 1 (MCP1)



Western Blotting

Image 2. Detection of Recombinant MCP1, Human using Polyclonal Antibody to Monocyte Chemotactic Protein 1 (MCP1)



Immunohistochemistry

Image 3. Detection of MCP1 in Human Stomach Tissue using Polyclonal Antibody to Monocyte Chemotactic Protein 1 (MCP1)