antibodies - online.com







anti-PROK2 antibody (AA 30-128)



Images



| () | 11/0 | r\ /1 | $\triangle 1 $ |
|-----|--------------------|------------|----------------|
| | $\lor \lor \vdash$ | $I \vee I$ | ew |
| | | | |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | PROK2 | |
| Binding Specificity: | AA 30-128 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This PROK2 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details


| Purpose: | Polyclonal Antibody to Prokineticin 2 (PK2) | |
|---------------|--|--|
| Immunogen: | Recombinant Prokineticin 2 (PK2) corresdonding to Ile30~Gln128 with N-terminal His and GST Tag | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against PK2. It has been selected for its ability to recognize PK2 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

Target Details

| Target: PROK2 | | DD 01/0 | |
|---------------|---------|---------|--|
| | Larget: | PROK2 | |


Target Details

| Alternative Name: | Prokineticin 2 (PROK2 Products) | |
|---------------------|--|--|
| Background: | l: PK-2, Bv8, MIT1, KAL4, Protein Bv8 Homolog | |
| Application Details | | |
| Application Notes: | Western blotting: 0.5-2 μg/mL | |
| | Immunohistochemistry: 5-20 μg/mL | |
| | Immunocytochemistry: 5-20 μg/mL | |
| | Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be | |
| | handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without | |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |




Immunohistochemistry

Image 1. Detection of PK2 in Human Breast cancer Tissue using Polyclonal Antibody to Prokineticin 2 (PK2)



Western Blotting

Image 2. Detection of Recombinant PK2, Human using Polyclonal Antibody to Prokineticin 2 (PK2)



Immunohistochemistry

Image 3. Detection of PK2 in Human Liver Tissue using Polyclonal Antibody to Prokineticin 2 (PK2)

Please check the product details page for more images. Overall 7 images are available for ABIN7431077.