antibodies -online.com







Images



Go to Product page

()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	KIT
Binding Specificity:	AA 321-520
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIT antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Stem Cell Factor Receptor (SCFR)
Immunogen:	Recombinant Stem Cell Factor Receptor (SCFR) corresdonding to Thr321~Pro520 (Accession # P10721) with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SCFR. It has been selected for its ability to recognize SCFR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	KIT		

Target Details


Alternative Name:	Stem Cell Factor Receptor (KIT Products)
Background:	CD117, KIT, C-Kit, PBT, p145 c-Kit, C-Kit Receptor, Tyrosine-Protein Kinase, V-Kit Hardy-Zuckerman 4 Feline Sarcoma Viral Oncogene Homolog, Piebald Trait
Pathways:	RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Sensory Perception of Sound, Stem Cell Maintenance, Production of Molecular Mediator of Immune Response, Regulation of long-term Neuronal Synaptic Plasticity

	Signaling Pathway, Sensory Perception of Sound, Stem Cell Maintenance, Production of
	Molecular Mediator of Immune Response, Regulation of long-term Neuronal Synaptic Plasticity
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of SCFR in Human Breast cancer Tissue using Polyclonal Antibody to Stem Cell Factor Receptor (SCFR)



Western Blotting

Image 2. Detection of SCFR in Human Blood Cells using Polyclonal Antibody to Stem Cell Factor Receptor (SCFR)

Western Blotting

Image 3. Detection of Recombinant SCFR, Human using Polyclonal Antibody to Stem Cell Factor Receptor (SCFR)

Please check the product details page for more images. Overall 6 images are available for ABIN7431107.