antibodies -online.com







Images



Go to Product page

_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	CXCL12	
Binding Specificity:	AA 23-89	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CXCL12 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Stromal Cell Derived Factor 1 (SDF1)	
Immunogen:	Recombinant Stromal Cell Derived Factor 1 (SDF1) corresdonding to Pro23~Lys89 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against SDF1. It has been selected for its ability to recognize SDF1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	on: Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	CXCL12	
Alternative Name:	Stromal Cell Derived Factor 1 (CXCL12 Products)	
Background:	CXCL12, PBSF, P-BSF, SCYB12, SDF1-A, SDF1-B, SDF1A, SDF1B, TLSF-A, TLSF-B, TPAR1, Pre-B Cell Growth-Stimulating Factor, Chemokine C-X-C-Motif Ligand 12	
Pathways:	Regulation of Cell Size, CXCR4-mediated Signaling Events, Negative Regulation of intrinsic apoptotic Signaling	

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL		
	1:170-700 Immunohistochemistry: 5-20 μg/mL		
	1:17-70 Immunocytochemistry: 5-20 μg/mL		
	1:17-70 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		


Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of SDF1 in Human Liver Tissue using Polyclonal Antibody to Stromal Cell Derived Factor 1 (SDF1)



Western Blotting

Image 2. Detection of Recombinant SDF1, Human using Polyclonal Antibody to Stromal Cell Derived Factor 1 (SDF1)



Immunohistochemistry

Image 3. Detection of SDF1 in Human Stomach Tissue using Polyclonal Antibody to Stromal Cell Derived Factor 1 (SDF1)

Please check the product details page for more images. Overall 5 images are available for ABIN7431116.