antibodies -online.com





anti-F2RL3 antibody (AA 48-385)






	oo to i roddet page

Quantity:100 μLTarget:F2RL3Binding Specificity:AA 48-385Reactivity:HumanHost:RabbitClonality:Polyclonal	ibody is un-conjugated	
Binding Specificity: Reactivity: Human Host: Rabbit Clonality: Polyclonal	ibody is un-conjugated	
Reactivity: Human Host: Rabbit Clonality: Polyclonal	ibody is un-conjugated	
Host: Rabbit Clonality: Polyclonal	ibody is un-conjugated	
Clonality: Polyclonal	ibody is un-conjugated	
	ibody is un-conjugated	
	ibody is un-conjugated	
Conjugate: This F2RL3 anti	This F2RL3 antibody is un-conjugated	
	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Purpose: Polyclonal Antib	body to Protease Activated Receptor 4 (PAR4)	
-	Recombinant Protease Activated Receptor 4 (PAR4) corresdonding to Gly48~Gln385 with N-terminal His and GST Tag	
Isotype: IgG		
	The antibody is a rabbit polyclonal antibody raised against PAR4. It has been selected for its ability to recognize PAR4 in immunohistochemical staining and western blotting.	
Purification: Antigen-specific	c affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target: F2RL3		


Target Details

rarget betails		
Alternative Name:	Protease Activated Receptor 4 (F2RL3 Products)	
Background:	F2RL3, PAR-4, Coagulation Factor II Thrombin Receptor-Like 3, Coagulation factor II receptor-like 3	
Pathways:	Carbohydrate Homeostasis, Regulation of Carbohydrate Metabolic Process	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:500-2000 Immunohistochemistry: 5-20 μg/mL	
	1:50-200 Immunocytochemistry: 5-20 μg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of PAR4 in Human Breast cancer Tissue using Polyclonal Antibody to Protease Activated Receptor 4 (PAR4)



Western Blotting

Image 2. Detection of Recombinant PAR4, Human using Polyclonal Antibody to Protease Activated Receptor 4 (PAR4)



Immunohistochemistry

Image 3. Detection of PAR4 in Human Lung cancer Tissue using Polyclonal Antibody to Protease Activated Receptor 4 (PAR4)

Please check the product details page for more images. Overall 7 images are available for ABIN7431131.