antibodies -online.com







Images



Go to Product page

()	1 /	\sim	rv	11/	11	Α
	1//	⊢	I \/	16	٦,	/\

Quantity:	100 μL		
Target:	TIMP3		
Binding Specificity:	AA 26-211		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This TIMP3 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)		

Product Details

Purpose:	Polyclonal Antibody to Tissue Inhibitors Of Metalloproteinase 3 (TIMP3)	
Immunogen:	Recombinant Tissue Inhibitors Of Metalloproteinase 3 (TIMP3) corresdonding to Cys26~Pro211 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TIMP3. It has been selected for its ability to recognize TIMP3 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

TIMP3	
Tissue Inhibitors Of Metalloproteinase 3 (TIMP3 Products)	
SFD, TIMP Metallopeptidase Inhibitor 3, Metallopeptidase Inhibitor 3, Sorsby Fundus Dystrophy,	
Pseudoinflammatory	
Western blotting: 0.5-5 μg/mL	
Immunohistochemistry: 5-50 μg/mL	
Immunocytochemistry: 5-50 μg/mL	
Optimal working dilutions must be determined by end user.	
The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
date under appropriate storage condition.	
For Research Use only	
Liquid	
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
handled by trained staff only.	
4 °C,-20 °C	
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
detectable loss of activity. Avoid repeated freeze-thaw cycles.	
24 months	




Western Blotting

Image 1. Detection of TIMP3 in Mouse Kidney lysate using Polyclonal Antibody to Tissue Inhibitors Of Metalloproteinase 3 (TIMP3)



Western Blotting

Image 2. Detection of Recombinant TIMP3, Human using Polyclonal Antibody to Tissue Inhibitors Of Metalloproteinase 3 (TIMP3)



Immunohistochemistry

Image 3. Detection of TIMP3 in Human Kidney Tissue using
Polyclonal Antibody to Tissue Inhibitors Of
Metalloproteinase 3 (TIMP3)