antibodies -online.com











Go to Product page

| _ | | | | | |
|---|---|----|---|----|---|
| U | V | er | V | Ie | W |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | TREM1 | |
| Binding Specificity: | AA 21-230 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This TREM1 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 1 (TREM1) | |
|---------------|--|--|
| Immunogen: | Recombinant Triggering Receptor Expressed On Myeloid Cells 1 (TREM1) corresdonding to Ala21~Gly230 with N-terminal His Tag | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against TREM1. It has been selected for its ability to recognize TREM1 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

Target Details

| Target: | TREM1 | | |
|---------|-------|--|--|
|---------|-------|--|--|


Target Details

| Alternative Name: | Triggering Receptor Expressed On Myeloid Cells 1 (TREM1 Products) | |
|---------------------|---|--|
| Background: | CD354, Triggering Receptor Expressed On Monocytes-1 | |
| Application Details | | |
| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |




Western Blotting

Image 1. Detection of TREM1 in Mouse Liver lysate using Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 1 (TREM1)



Western Blotting

Image 2. Detection of Recombinant TREM1, Mouse using Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 1 (TREM1)



Immunohistochemistry

Image 3. Detection of TREM1 in Mouse Liver Tissue using Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 1 (TREM1)