
antibodies -online.com







anti-TREM1 antibody (AA 19-238)



Image



\sim	
()\/\Di	view
	VICVV

Quantity:	100 μL
Target:	TREM1
Binding Specificity:	AA 19-238
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TREM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 1 (TREM1)
Immunogen:	Recombinant Triggering Receptor Expressed On Myeloid Cells 1 (TREM1) corresdonding to Gln19~Pro238 (Accession # Q6TYI6)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TREM1. It has been selected for its ability to recognize TREM1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: TREM1	Target:	TREM1		
---------------	---------	-------	--	--

Target Details

Alternative Name:	Triggering Receptor Expressed On Myeloid Cells 1 (TREM1 Products)	
Background:	CD354, Triggering Receptor Expressed On Monocytes-1	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant TREM1, Porcine using Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 1 (TREM1)