# antibodies .- online.com







# anti-Urocortin antibody (AA 83-122)



Image



$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	Urocortin (UCN)
Binding Specificity:	AA 83-122
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Urocortin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

#### **Product Details**

Target:

Purpose:	Polyclonal Antibody to Urocortin (UCN)
Immunogen:	Recombinant Urocortin (UCN) corresdonding to Asp83~Val122 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against UCN. It has been selected for its ability to recognize UCN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Urocortin (UCN)


## **Target Details**

Alternative Name:	Urocortin (UCN Products)
Background:	UI, UROC, Urocortin 1, UCN1
Pathways:	Positive Regulation of Peptide Hormone Secretion, Hormone Activity, Negative Regulation of Hormone Secretion, cAMP Metabolic Process, Regulation of Cell Size, Feeding Behaviour

### **Application Details**

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

Image 1. Detection of Recombinant UCN1, Human using Polyclonal Antibody to Urocortin (UCN)