

Datasheet for ABIN7431491

**anti-Transportin 1 antibody (AA 626-836)****3** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	Transportin 1 (TNPO1)
Binding Specificity:	AA 626-836
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Transportin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Transportin 1 (TNPO1)
Immunogen:	Recombinant Transportin 1 (TNPO1) corresponding to Lys626~Val836 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TNPO1. It has been selected for its ability to recognize TNPO1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details


Target:	Transportin 1 (TNPO1)
Alternative Name:	Transportin 1 ( <a href="#">TNPO1 Products</a> )
Background:	MIP1, IPO2, KPNB2, MIP, MIP1, TRN, M9 region interaction protein 1, Importin 2, Karyopherin Beta 2
Pathways:	<a href="#">PI3K-Akt Signaling</a> , <a href="#">Fc-epsilon Receptor Signaling Pathway</a> , <a href="#">EGFR Signaling Pathway</a> , <a href="#">Neurotrophin Signaling Pathway</a> , <a href="#">Cellular Glucan Metabolic Process</a> , <a href="#">Protein targeting to Nucleus</a> , <a href="#">CXCR4-mediated Signaling Events</a>

## Application Details

Application Notes:	Western blotting: 1-5 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of TNPO1 in Human Liver Tissue using Polyclonal Antibody to Transportin 1 (TNPO1)



#### Western Blotting

**Image 2.** Detection of Recombinant TNPO1, Human using Polyclonal Antibody to Transportin 1 (TNPO1)



#### Immunohistochemistry

**Image 3.** Detection of TNPO1 in Human Liver cancer Tissue using Polyclonal Antibody to Transportin 1 (TNPO1)