

Datasheet for ABIN7431512  
**anti-BAFF antibody (AA 7-128)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	BAFF (TNFSF13B)
Binding Specificity:	AA 7-128
Reactivity:	Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAFF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to B-Cell Activation Factor Receptor (BAFFR)
Immunogen:	Recombinant B-Cell Activation Factor Receptor (BAFFR) corresponding to Met7~Thr128 (Accession # Q3BK46) with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against BAFFR. It has been selected for its ability to recognize BAFFR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

Target:	BAFF (TNFSF13B)
---------	-----------------

## Target Details


Alternative Name:	B-Cell Activation Factor Receptor ( <a href="#">TNFSF13B Products</a> )
Background:	CD268, TNFRSF13C, TNFRSF13-C, BAFF-R, BAFFR, BR3, Tumor Necrosis Factor Receptor Superfamily Member 13C
Pathways:	<a href="#">NF-kappaB Signaling</a> , <a href="#">Production of Molecular Mediator of Immune Response</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:260-1000 Immunohistochemistry: 5-20 µg/mL 1:26-100 Immunocytochemistry: 5-20 µg/mL 1:26-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



**Western Blotting**

**Image 1.** Detection of Recombinant BAFFR, Chicken using Polyclonal Antibody to B-Cell Activation Factor Receptor (BAFFR)