antibodies -online.com





anti-Glutathione Peroxidase 1 antibody (AA 48-201)





	Go to	Prod	uct	page
--	-------	------	-----	------

\sim							
	1//	$rac{1}{2}$	`\/	L	Р	1	٨

Quantity:	100 μL
Target:	Glutathione Peroxidase 1 (GPX1)
Binding Specificity:	AA 48-201
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Glutathione Peroxidase 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glutathione Peroxidase 1 (GPX1)	
Immunogen:	Recombinant Glutathione Peroxidase 1 (GPX1) corresdonding to Gly48~Ser201 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against GPX1. It has been selected for its ability to recognize GPX1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target: Glutathione Peroxidase 1 (GPX1)

Target Details

Alternative Name:	Glutathione Peroxidase 1 (GPX1 Products)
Background:	GSHPX1, Cellular glutathione peroxidase
Pathways:	Thyroid Hormone Synthesis, Sensory Perception of Sound, Skeletal Muscle Fiber Development, Cell RedoxHomeostasis, Negative Regulation of intrinsic apoptotic Signaling, SARS-CoV-2 Protein Interactome


Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:190-760 Immunohistochemistry: 5-20 μg/mL
	1:19-76 Immunocytochemistry: 5-20 μg/mL
	1:19-76 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of GPX1 in Mouse Kidney Tissue using Polyclonal Antibody to Glutathione Peroxidase 1 (GPX1)



Immunohistochemistry

Image 2. Detection of GPX1 in Mouse Liver Tissue using Polyclonal Antibody to Glutathione Peroxidase 1 (GPX1)



Immunohistochemistry

Image 3. Detection of GPX1 in Mouse Spleen Tissue using Polyclonal Antibody to Glutathione Peroxidase 1 (GPX1)