antibodies -online.com







Image



Go to Product page

\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:	100 μL	
Target:	CXCL10	
Binding Specificity:	AA 22-98	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CXCL10 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Interferon Gamma Induced Protein 10kDa (IP10)
Immunogen:	Recombinant Interferon Gamma Induced Protein 10kDa (IP10) corresdonding to Ile22~Pro98 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IP10. It has been selected for its ability to recognize IP10 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CXCL10		
---------	--------	--	--

Target Details

Interferon Gamma Induced Protein 10kDa (CXCL10 Products)	
CXCL10, C7, IFI10, INP10, SCYB10, Crg2, GIP10, Mob1, Chemokine C-X-C Motif Ligand 10,	
Small Inducible Cytokine Subfamily B(Cys-X-Cys)Member 10	
Western blotting: 0.5-2 μg/mL	
Immunohistochemistry: 5-20 μg/mL	
Immunocytochemistry: 5-20 μg/mL	
Optimal working dilutions must be determined by end user.	
The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
date under appropriate storage condition.	
For Research Use only	
Liquid	
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
handled by trained staff only.	
4 °C,-20 °C	
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
detectable loss of activity. Avoid repeated freeze-thaw cycles.	
24 months	



Western Blotting

Image 1. Detection of Recombinant IP10, Mouse using Polyclonal Antibody to Interferon Gamma Induced Protein 10 kDa (IP10)