# antibodies -online.com









	Go to	Prod	luct	page
--	-------	------	------	------

_					
U	V	er	VI	е	W


Quantity:	100 μL
Target:	MAG
Binding Specificity:	AA 133-237
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**

Purpose:	Polyclonal Antibody to Myelin Associated Glycoprotein (MAG)
Immunogen:	Recombinant Myelin Associated Glycoprotein (MAG) corresdonding to Ser133~Lys237 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MAG. It has been selected for its ability to recognize MAG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


# **Target Details**

l arget Details			
Target:	MAG		
Alternative Name:	Myelin Associated Glycoprotein (MAG Products)		
Background:	GMA, S-MAG, Siglec-4, SIGLEC4A, Sialic Acid Binding Ig-Like Lectin 4A		
Pathways:	Neurotrophin Signaling Pathway		
Application Details			
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		




# **Immunohistochemistry**

Image 1. Detection of MAG in Human Cerebrum Tissueusing Polyclonal Antibody to Myelin AssociatedGlycoprotein (MAG)



#### **Immunohistochemistry**

Image 2. Detection of MAG in Human Prostate Gland Tissueusing Polyclonal Antibody to Myelin AssociatedGlycoprotein (MAG)



# **Immunohistochemistry**

Image 3. Detection of MAG in Human Breast Cancer Tissueusing Polyclonal Antibody to Myelin AssociatedGlycoprotein (MAG)

Please check the product details page for more images. Overall 4 images are available for ABIN7431770.