antibodies -online.com





anti-PKC epsilon antibody (AA 403-672)



Images



Go to Product page

()	1 /	\sim	rv	11/	11	Α
	1//	┙	I \/	16	٦,	/\

Quantity:	100 μL	
Target:	PKC epsilon (PRKCE)	
Binding Specificity:	AA 403-672	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PKC epsilon antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Protein Kinase C Epsilon (PKCe)	
lmmunogen:	Recombinant Protein Kinase C Epsilon (PKCe) corresdonding to Leu403~Asp672 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PKCe. It has been selected for its ability to recognize PKCe in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


nase C Epsilon (PRKCE Products)
VOE BRIVO E NRIVO E . II
KCE, PRKC-E, NPKC-Epsilon
ling, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Positive Regulation Hormone Secretion, Activation of Innate immune Response, Cellular Response to of Bacterial Origin, Regulation of Actin Filament Polymerization, Myometrial and Contraction, Regulation of Carbohydrate Metabolic Process, Interaction of EGFR pholipase C-gamma, Thromboxane A2 Receptor Signaling

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL		
	Immunohistochemistry: 5-20 μg/mL		
	Immunocytochemistry: 5-20 μg/mL		
	Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		


Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of PKCe in Human Liver Tissue using Polyclonal Antibody to Protein Kinase C Epsilon (PKCe)



Western Blotting

Image 2. Detection of Recombinant PKCe, Human using Polyclonal Antibody to Protein Kinase C Epsilon (PKCe)



Immunohistochemistry

Image 3. Detection of PKCe in Human Kidney Tissue using Polyclonal Antibody to Protein Kinase C Epsilon (PKCe)

Please check the product details page for more images. Overall 5 images are available for ABIN7431791.