antibodies -online.com







anti-CD55 antibody (AA 35-285)



Images



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	CD55	
Binding Specificity:	AA 35-285	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CD55 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Cluster Of Differentiation 55 (CD55)	
Immunogen:	Recombinant Cluster Of Differentiation 55 (CD55) corresdonding to Asp35~Gly285 (Accession # P08174)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD55. It has been selected for its ability to recognize CD55 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

Expiry Date:

24 months


Target:	CD55	
Alternative Name:	CD55 (CD55 Products)	
Background:	DAF, CR, TC, Complement decay-accelerating factor, Decay Accelerating Factor	
Pathways:	Complement System, Regulation of Leukocyte Mediated Immunity	

Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions: Handling	For Research Use only	
- I landing		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	




Immunohistochemistry

Image 1. Detection of CD55 in Human Liver cancer Tissue using Polyclonal Antibody to Cluster Of Differentiation 55 (CD55)



Western Blotting

Image 2. Detection of CD55 in Rat Brain Tissue using Polyclonal Antibody to Cluster Of Differentiation 55 (CD55)



Western Blotting

Image 3. Detection of Recombinant DAF, Human using Polyclonal Antibody to Cluster Of Differentiation 55 (CD55)

Please check the product details page for more images. Overall 5 images are available for ABIN7431821.